		40	
Receipt	date:	192/11/07/2009	
, (	y FEB	1 0 2005 111	
	13	<b>6</b> /	

Sheet	1	_ of	3

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE ATTY. DOCKET NO. PATENT AND TRADEMARK OFFICE PRD2203USPCT

SERIAL NO. 10/594,832

INFORMATION DISCLOSURE CITATION BY APPLICANT (Use several sheets if necessary)

Liu et al. FILING DATE

July 16, 2007 1654

**GROUP ART UNIT** 

## **U.S. PATENT DOCUMENTS**

**APPLICANT** 

EXAMINER INITIAL		DOCUMENT NUMBER	PUBLICATION DATE	INVENTORS	CLASS	SUBCLASS	II	FILING DATE FAPPROPRIATE
			<b>FOREIGN PATE</b>					
		DOCUMENT NUMBER	DATE	COUNTRY/REGION	CLA	SS SUBCL	.ASS	TRANSLATION (if applicable)
	ОТ	HER DOCUMEN	TS (Including Au	thor, Title, Date,	Pertin	ent Pp.,	Etc	.)
		Achem et al., "A Dis., 1998, 16:38	prokinetic approact 8-46.	n to treatment of ga	stroesc	phageal r	eflux	disease", <i>Dig</i>
			fetal inflammatory	response syndrome	and as	ssociated i	infar	nt morbidity",
	-	Briejer et al, "Idio Pharmacol. Sci.,	opathic constipation , 1999, 20:1-3	: too few stools and	too litt	le knowled	dge"	, Trends
			tructural determina prokinectin receptor					
	Chabre et al., "Coupling of the alpha 2A-adrenergic receptor to multiple G-proteins. A simple approach for estimating receptor-G-protein coupling efficiency in a transient expression system", <i>J Biol Chem.</i> , 1994, 269(8):5730-5734.							
	Cheng et al., "Prokineticin 2 transmits the behavioural circadian rhythm of the suprachiasmatic nucleus", <i>Nature</i> , 2002, 417:405-410.							
Conklin et al., "Substitution of three amino acids switches receptor specificity of Gq alpha to that of Gi alpha", <i>Nature</i> , 1993, 363:274-276.								
Efthimiou et al, "Role of biological agents in immune-mediated inflammatory diseases", South Med J., 2005, 98(2):192-204.								
Ferrara et al., "Differential expression of the angiogenic factor genes vascular endothelial growth factor (VEGF) and endocrine gland-derived VEGF in normal and polycystic human ovaries", Am. J. Pathol., 2003,162(6):1881-1893.								
Hachem et al., "Bronchiolitis obliterans syndrome: pathogenesis and management", Semin Thorac Cardiovasc Surg., 2004, 16(4):350-355.								
Hickey et al., "Clinical implications of disturbances of uterine vascular morphology and function", <i>Baillieres Clin Obstet Gynaecol.</i> , 2000, 14(6):937-951.								
Kisliouk et al., "Presence and regulation of endocrine gland vascular endothelial growth factor/prokineticin-1 and its receptors in ovarian cells", <i>J Clin Endocrinol Metab.</i> , 2003, 88(8):3700-3707.					ab., 2003,			
		endothelium", N	"Identification of an ature, 2001, 412:87	7-884.				
			"Endocrine gland-do on of angiogenesis",				thes	is of organ-
EXAMINER	/A	bdel Mohamed/		ONSIDERED	1/2009	.***		

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Receipt.date: 02/10/2009

				Sheet 2 of 3				
FORM PTO-1	449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY, DOCKET NO. PRD2203USPCT	SERIAL NO. 10/594,832				
INF	ORMA"	TION DISCLOSURE	APPLICANT					
		N BY APPLICANT	Liu et al.					
·		eral sheets if necessary)	FILING DATE	GROUP ART UNIT				
	•	••	July 16, 2007	1654				
	OTH	IER DOCUMENTS (Includi	ng Author, Title, Da	ite, Pertinent Pp., Etc.)				
				tion of angiogenesis in endocrine				
		glands", Cold Spring Harb Sy						
		LeCouter et al., "The endocri						
		Acad Sci USA, 2003, 100(5)::	2685-2690.	otors to endothelial cells", Proc Natl				
				scular endothelial growth factor: a				
				suggests different roles as a regulator				
		of organ-specific angiogenes						
		gastrointestinal smooth musc		ecombinant proteins potently contract 001, 59(4):692-698.				
	···			tion of two closely related G protein-				
			by prokineticins/endocrine gland vascular endothelial growth					
		factor", <i>J Biol Chem.</i> , 2002, 2	77(22):19276-19280.					
				ved vascular endothelial growth factor				
		8729.		s", J Biol Chem., 2002, 277(10):8724-				
		Liu et al., "Cloning and pharm (H4) expressed in bone marro	nacological characteriz ow", <i>Mol Pharmacol.</i> , 2	ation of a fourth histamine receptor 2001, 59(3):420-426.				
, .	. /			uinea pig histamine H4 receptors on", <i>J Pharmacol Exp Ther</i> ., 2001,				
		Liu et al., "Involvement of both Gq/11 and Gs proteins in gonadotropin-releasing hormone receptor-mediated signaling in LβT2 cells", <i>J Biol Chem.</i> , 2002, 277(35):32099-32108.						
		Masuda et al., "Isolation and	identification of EG-VE	GF/prokineticins as cognate ligands for Biophys Res Commun., 2002, 293:				
		Medford et al., "Vascular endothelial growth factor gene polymorphism and acute respiratory distress syndrome", <i>Thorax</i> , 2005, 60:244-248						
		<del></del>	tein from frog skin and	its homologue from snake venom				
			lian subtilisin/kex2p-lik	e endoprotease involved in processing				
		Negri et al., "Nociceptive sens		ory protein Bv8," <i>Br J Pharmacol.</i> ,				
			stric and small intestin	al motor function in diabetes mellitus",				
		Dig Dis., 1997, 15:263-274.						
EXAMINER	/Abdel	Mohamed/	DATE CONSIDERED	05/31/2009				
				conformance with MPEP 609; Draw line of this form with next communication to				

Receipt date: 02/10/2009

			Sheet 3 of 3
FORM PTO-1449  U.S. DEPARTMENT OF COMMER PATENT AND TRADEMARK OFFI		ATTY. DOCKET NO. PRD2203USPCT	SERIAL NO. 10/594,832
	TION DISCLOSURE	APPLICANT Liu et al.	
(Use several sheets if necessary)		FILING DATE July 16, 2007	GROUP ART UNIT 1654
OTI	HER DOCUMENTS (Includi	ng Author, Title, Da	ite, Pertinent Pp., Etc.)
	the black mamba (Dendroasp Schweitz et al., "MIT(1), a bla intestinal contraction", FEBS Soga et al., "Molecular clonin Biophys. Acta., 2002, 1579:1 Steiner et al., "The new enzyl Chem., 1992, 267(33):23435 Tonini, "Recent advances in t Res., 1996, 33(4-5):217-226. Wechselberger et al., "The m spermatocytes", FEBS Lett., Weissgerber et al., "The role Sci. Sports Exerc., 2004, 202 Yanagita et al., "Processing of	ois polylepis) venom", ick mamba toxin with a Lett., 1999, 461:183-1 g and characterization 73-179. mology of precursor precur	haracterization of peptide toxins from <i>Toxicon</i> , 1990, 28(7):847-856.  a new and highly potent activity on 88. of prokineticin receptors," <i>Biochim</i> . rocessing endoproteases", <i>J Biol</i> astrointestinal prokinetics", <i>Pharmacol</i> is of frog Bv8 are mainly expressed in ivity in preeclampsia prevention", <i>Med</i> . with tetrabasic cleavage sites to mature ne cell lines", <i>Endocrinology</i> , 1993,
			d vascular endothelial growth factor in 272.
XAMINER	/Abdel Mohamed/	DATE CONSIDERED	05/31/2009